



Q

Bayswater Early Years Hub

Architect k20 Architecture

Location 41 Phyllis Street, Bayswater VIC 3153, Australia | View Map

Project Year 2019

Category Community Centres

 $Woodgrain \ Level \ Set \ Collection \ 250mm \ x \ 1000mm \ x \ 4.5mm \ thick, \ Code: A00406014020502XX0902; \ Style/Code: \ TEX \ WG \ Antique \ Light \ Oak; \ Carpet \ Tiles - URBAN \ RETREAT- UR501 \ Sage, \ UR501 \ Flax$

by Interface

Kingspan Air Cell Permishield 65, Kingspan k18+ insulated plasterboard, Kingspan Water, Tank Type: Modline ML-11150-4000-2320 in Colour: Woodland Grey; Tank Capacity 10,350 litres x10d

by Kingspan Insulated Panels

Suspended Ceiling

by Armstrong Ceiling Solutions

Window Film

by 3M

Mechanical units

by Armcor



https://archello.com/project/bayswater-early-years-hub

 \equiv





The principles underpinning the design of Bayswater Early Years Hub "Sunflower" originated from the client vision and through a collaborative approach involving the client, key stakeholders and our practice. The result was a shared vision to create a building which minimises human impact on the environment with an eco-centric design— with the user experience and the surrounding environment being the key drivers for the built space.

Positioned at the centre of the local community amongst the existing community reserve, a school and a bowling club, Sunflower has created a new civic identity for the area and reinforced social connection.

A major element in the design was consideration to the potential future needs of the community for it to be adaptable to changing requirements. The balance of the program and the principles of proportion and orientation have been achieved by dividing the building into two main forms with linking bridges. The building takes on two U-shaped masses "turning toward the sun" which are arranged to create a journey through the building that allows for ease of wayfinding, reduced circulation and a functional program with minimal dead space. Sunflower has a focus on tactility, light and the experience of built form. The design is both dynamic and innovative and gives way to delight and joy to all who use the facility.



archello

Q

In a fluctuating market, careful monitoring of the project budget was required to enable the project vision to come to fruition. The project team designed to achieve a balance between cost and a high-end architectural outcome to meet the brief.

The application of passive design principles, access to natural light for internal spaces and solar control, reduces reliance on artificial lighting and cooling. Solar arrays, batteries, rainwater harvesting, and other sustainable initiatives form the building as a whole. The project provides Council with economic sustainability with reduced running and maintenance costs and has the ultimate goal of achieving a 100+ year building lifecycle and improved ecology for health and well-being. This building has become the flagship project for Knox City Council and setting a new benchmark for environmental design in the local council space, as well as across Victoria and Australia.

The success of this project relied on the coordination of the entire project team to create flexible spaces illustrating the design vision as well as creating a seamless transition for play and adventure between the interior and exterior areas.

Material Used:

- Blinds Vertilux Green vision Roller blinds with Madison Two Room Darkening fabric.
- 2. Carpet Tiles Interface Carpets, URBAN RETREAT- UR501 Sage, UR501 Flax
- 3. Concrete Hansen Green Concrete Reduced Cement Concrete
- 4. Magnesium Oxide Cladding Board Multiboard Excom and iLine
- 5. External Walls Bricks: reclaimed Bricks from local waste collection facility
- 6. Double glazed Windows: AWS, Capral, Criterion
- 7. Glazing: Viridian
- 8. Paints Dulux Interpon D1000 powdercoat finish to door frames; Dulux Enviro solutions Paint Clean up methods; Dulux Zero VOC paints; Dulux Professional Enviro2 Interior Low Sheen on New Plasterboard and Multiboard iLine; Dulux AcraTex 955 AcraShield to external Excom Multiboard sheets
- 9. Structural Steel: ACRS certified Orrcon Steel
- 10. Roller Doors: B&D Garage Doors
- 11. Kitchen Stainless steel and Appliances Britex, Mariljohn
- 12. Water Storage Tanks above ground Kingspan Water, Tank Type: Modline ML-11150-4000-2320 in Colour: Woodland Grey; Tank Capacity 10,350 litres x10d
- 13. Water Storage Tanks inground Livingwise Concrete Rectangular Tank (trafficable) inground 40,000 litres



Q

- 14. Door hardware Dorma
- 15. Seals- Kilargo
- 16. Insulation Autex Greenstuf R2.5 wall batts, Autex Composition 10mm thick for acoustic treatment to walls, Kingspan k18+ insulated plasterboard, Proctor Group Australia for airseal fabric CSR Bradford Enviroseal Proctorwrap BL vapour permeable membrane; Kingspan Air Cell Permishield 65.
- 17. Batteries Zinc Bromide Redflow ZCell energy storage batteries
- 18. Solar inverters Fronius Symo inverter capacity; Victron 48/15000 Quattro inverter chargers (VE Bus and CCGX components)
- Curved Roofing Kingspan Kingzi paluminium roof sheet win Colorbond colours urfmist
- 20. Sheet metal Roofing –Bluescope Steel Colorbond Ultrasteel, Lysaght Spandek Profile in Woodland grey.
- 21. Perforated Plasterboard Criterion
- 23. Toilet Partitions Laminex Partitioning Systems
- 24. Joinery Laminex Greenfirst Laminate Eo boards
- 25. Feature Timber FSC certified Sculptform
- 26. Tactiles Tredfx
- 27. Heat Pumps Edson Commercial
- 28. Mechanical units Fantech, Armcor, Daikin
- 29. Roof safety system Sayfa
- 30. Decking Modwood, Millboard Composite Decking Board
- 31. Monitors Legrand for monitoring of energy / water usage, solar charging, battery storage levels, etc.
- 32. Sanitary fixtures / fittings Caroma, Galvin Industries, Britex, Metlam, Enware
- 33. Skirtings Criterion Decorum Masonite Skirting
- 34. Skylights Solatube 750 DS Closed Ceiling with Daylight Dimmer; 290 DS Closed Ceiling
- 35. Suspended Ceiling Armstrong / Rondo
- 36. Timber Ceiling finishes Shiverme timbers reclaimed Timber dressed KDHW
- 37. Tiles Johnson Tiles
- 38. Vinyl Forbo SAFESTEP SAFTEY VINYL, Interface Woodgrain Level Set Collection 250mm x 1000mm x 4.5mm thick, Code: A00406014020502XX0902, Style/Code: TEX WG Antique Light Oak
- 39. Entry Mats Birrus Ultramat
- 40. Perforated Mesh Locker Group Dominoe 358, monument
- 41. Window Film 3M
- 42. Landscape Timber Class 1 reclaimed Hardwood timber
- 43. Natural Stone Rocks sourced from site excavation and RockFx